

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query  | DBs  | Default Operator | Plurals | Time Stamp          |
|-------|------|---|--|------------------|---------|---------------------|
| L1    | 1    | ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur\$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif\$3 address \$3 ) near10 element) and (encrypt\$3 near10 element) and authentic \$5 and mode and connect \$3 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/09/02<br>11:29 |
| L2    | 2    | ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur\$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif\$3 address \$3 ) near10 element) and (encrypt\$3 near10 element) and authentic \$5                          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/09/02<br>11:30 |
| L3    | 3    | "20030081791"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/09/02<br>11:31 |
| L6    | 45   | ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur\$5 near20 (wireless cordless cellular wap handheld) )   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/09/02<br>11:44 |

|     |    |   |  |    |    |                     |
|-----|----|---|--|----|----|---------------------|
| L7  | 8  | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (config\$5<br>near20 (wireless cordless<br>cellular wap handheld) )<br>AND (READ\$5 NEAR5<br>CONFIG\$5)   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/09/02<br>11:44 |
| L8  | 15 | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (config\$5<br>near20 (wireless cordless<br>cellular wap handheld) )<br>AND ((READ\$5 GENERAT<br>\$3) NEAR5 CONFIG\$5)   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/09/02<br>11:44 |
| L9  | 7  | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (config\$5<br>near20 (wireless cordless<br>cellular wap handheld) )<br>AND ((READ\$5 GENERAT<br>\$3) NEAR5 CONFIG\$5<br>NEAR5 (File instance<br>settings))                                | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/09/02<br>11:45 |
| L10 | 6  | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (config\$5<br>near20 (wireless cordless<br>cellular wap handheld) )<br>AND ((READ\$5 GENERAT<br>\$3) NEAR5 CONFIG\$5<br>NEAR5 (File instance<br>settings)) and encrypt\$3                 | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/09/02<br>11:45 |
| L11 | 6  | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (config\$5<br>near20 (wireless cordless<br>cellular wap handheld) )<br>AND ((READ\$5 GENERAT<br>\$3) NEAR5 CONFIG\$5<br>NEAR5 (File instance<br>settings)) and (encrypt\$3<br>near10 key) | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/09/02<br>11:46 |

|     |        |   |  |    |     |                     |
|-----|--------|---|--|----|-----|---------------------|
| L12 | 26153  | ((709/220) or (709/226) or (709/221) or (709/222) or (709/227) or (709/226) or (709/217) or (709/204) or (380/282) or (380/47) or (380/44) or (380/46)). CCLS.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | OFF | 2009/09/02<br>11:51 |
| L13 | 4      | 12 and 8  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON  | 2009/09/02<br>11:51 |
| L14 | 301484 | ((Scott Manchester).inv. (Dalen Abraham).inv. (Mohammad Shabbir Alam).inv. (Jean-Pierre Duplessis).inv. ( Trevor "W." Freeman).inv. (Bill Hanlon).inv. (Anton "W." Krantz).inv. (Benjamin Nick).inv. (microsoft. asn.))       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON  | 2009/09/02<br>11:55 |
| L15 | 18     | ((Scott Manchester).inv. (Dalen Abraham).inv. (Mohammad Shabbir Alam).inv. (Jean-Pierre Duplessis).inv. ( Trevor "W." Freeman).inv. (Bill Hanlon).inv. (Anton "W." Krantz).inv. (Benjamin Nick).inv. (microsoft. asn.)) and 6 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON  | 2009/09/02<br>11:55 |
| L16 | 6      | ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur\$5 near20 (wireless cordless cellular wap handheld) ). cfm.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON  | 2009/09/02<br>11:59 |
| S1  | 71     | (encrypt\$3 adj3 key)with xml   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON  | 2007/09/11<br>00:03 |
| S2  | 7      | (encrypt\$3 adj3 key)with xml and clon\$3   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON  | 2007/09/11<br>00:04 |

|     |        |  |  |    |    |                     |
|-----|--------|--|--|----|----|---------------------|
| S3  | 11     | (encrypt\$3 adj3 key)with<br>xml and (wireless with<br>configur\$)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>00:05 |
| S4  | 11     | (encrypt\$3 adj3 key)with<br>(xml or (extensible adj2<br>markup adj2 language))<br>and (wireless with<br>configur\$)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>00:06 |
| S5  | 6      | (encrypt\$3 adj3 key)with<br>(xml or (extensible adj2<br>markup adj2 language))<br>and (wireless with<br>configur\$) and identif\$   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>00:06 |
| S6  | 7      | (encrypt\$3 adj3 key)with<br>(xml or (extensible adj2<br>markup adj2 language))<br>and (wireless with<br>configur\$) and (identif\$<br>or "ID" or "UID" or<br>(network\$3 adj3<br>address))      | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>00:07 |
| S7  | 274126 | ier  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>00:07 |
| S8  | 6      | (encrypt\$3 adj3 key)with<br>(xml or (extensible adj2<br>markup adj2 language))<br>and (wireless with<br>configur\$) and (identifier<br>or "ID" or "UID" or<br>(network\$3 adj3<br>address))     | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:03 |
| S9  | 17     | (encrypt\$3 adj3 key)<br>same (xml or (extensible<br>adj2 markup adj2<br>language)) and (wireless<br>with configur\$) and<br>(identifier or "ID" or<br>"UID" or (network\$3<br>adj3 address))    | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:03 |
| S10 | 3      | ((encrypt\$3 adj3 key)<br>same (xml or (extensible<br>adj2 markup adj2<br>language)) same<br>(wireless with configur\$))<br>and (identifier or "ID" or<br>"UID" or (network\$3<br>adj3 address)) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:05 |

|     |   |   |  |    |    |                     |
|-----|---|---|--|----|----|---------------------|
| S11 | 3 | ((encrypt\$3 adj3 key) same (xml or (extensible adj2 markup adj2 language)) same (wireless with configur\$)) and (identif\$3 or "ID" or "UID" or (network\$3 adj3 address))   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:05 |
| S12 | 3 | ((encrypt\$3 adj3 key) same (xml or (extensible adj2 markup adj2 language)) same (wireless with configur\$)) and (identif\$3 or "ID" or "UID" or "URI" or (network\$3 adj3 address))  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:06 |
| S13 | 3 | ((encrypt\$3 adj3 key) same (xml or (extensible adj2 markup adj2 language)) same (wireless with configur\$)) and (identif\$3 or "ID" or "UID" or "URI" or ((network\$3 or Internet or LAN or WAN or protocol) adj3 address))  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:07 |
| S14 | 7 | ((encrypt\$3 near5 key) same (xml or (extensible adj2 markup adj2 language)) same (wireless with configur\$)) and (identif\$3 or "ID" or "UID" or "URI" or ((network\$3 or Internet or LAN or WAN or protocol) adj3 address)) | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:30 |
| S15 | 2 | "7054924".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:31 |
| S16 | 1 | "7054924".pn. and key   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:34 |
| S17 | 1 | "6865607".pn. and key   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>12:34 |

|     |    |   |  |    |    |                     |
|-----|----|---|--|----|----|---------------------|
| S18 | 25 | ("20010034771"  <br>"20020129132"  <br>"20030074430"  <br>"5404321"   "5513126"  <br>"5761662"   "5790789"  <br>"5832503"   "5991828"  <br>"6185612"   "6195694"  <br>"6250309"   "6370163"  <br>"6374207"   "6513047"  <br>"6519617"   "6553403"  <br>"6567837"   "6571201"  <br>"6574663"   "6594757"  <br>"6775701").PN. OR<br>("7054924").URPN. | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:33 |
| S19 | 2  | "20040024875"   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:34 |
| S22 | 2  | "20040010429"   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:35 |
| S23 | 6  | "2004002943"  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:35 |
| S24 | 3  | "20030101247"   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:35 |
| S25 | 2  | "6052720".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:36 |
| S26 | 35 | ("5806065").PN. OR<br>("6052720").URPN.   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:36 |
| S27 | 1  | "5933504".pn.   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:37 |
| S28 | 20 | ("4351982"   "4405829"<br>  "4633036"   "4956863"<br>  "5150411"   "5159632"<br>  "5271061"   "5299263"<br>  "5442707"   "5463690"<br>  "5497423"   "5581616"<br>  "5600725"   "5625692"<br>  "5724425"  <br>"5761305").PN. OR<br>("5933504").URPN.   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:37 |
| S29 | 1  | "6,052,720".pn.   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:37 |

|     |    |   |  |    |    |                     |
|-----|----|---|--|----|----|---------------------|
| S30 | 35 | ("5806065").PN. OR<br>("6052720").URPN.   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:38 |
| S31 | 2  | "6,078,667".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:39 |
| S32 | 7  | ("4193131"   "4819267"<br>  "4956863"   "5208853"<br>  "5440640"  <br>"5734720").PN. OR<br>("6078667").URPN.  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:38 |
| S33 | 2  | "6,148,354".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:40 |
| S34 | 39 | ("5404485"   "5799168"<br>  "6012103"   "6028807"<br>  "6044428").PN. OR<br>("6148354").URPN.   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:39 |
| S35 | 13 | ("20020174331"  <br>"20020176366"  <br>"20030045316"  <br>"20040177166"  <br>"6131125"   "6148354"  <br>"6161104"   "6453334"  <br>"6636894"   "6658461"  <br>"6671725"   "6725238"  <br>"6857009").PN. OR<br>("7231449").URPN.   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:39 |
| S36 | 2  | "6,178,507".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:40 |
| S37 | 29 | ("4748668"   "4890323"<br>  "4995082"   "5218637"<br>  "5299263"   "5400403"<br>  "5406628"   "5627893"<br>  "5721781"   "5748740"<br>  "5793866"   "5805702"<br>  "5825880"   "5870470"<br>  "5881038"   "5907618"<br>  "5917913"   "5955717"<br>  "5960084"   "6038549"<br>  "6041314").PN. OR<br>("6178507").URPN. | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:40 |
| S38 | 2  | "6,195,433".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:40 |

|     |    |  |                           |    |    |                     |
|-----|----|--|---------------------------|----|----|---------------------|
| S39 | 14 | ("5016274"   "5161244"<br>  "5299262"   "5347581"<br>  "5442707"   "5475763"<br>  "5625695").PN. OR<br>("6195433").URPN.   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:40 |
| S40 | 0  | 2001/0014153   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:40 |
| S41 | 1  | "20010014153"  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:41 |
| S42 | 1  | "20020090085"  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:41 |
| S43 | 1  | "6,449,642".pn.  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:41 |
| S44 | 53 | ("5142680"   "5247683"<br>  "5263164"   "5394522"<br>  "5555416"   "5586304"<br>  "5717930"   "5805897"<br>  "5809145"   "5838907"<br>  "5845077"   "5845090"<br>  "5875327"   "5931909"<br>  "5941954"   "6006035"<br>  "6012088"   "6029196"<br>  "6047129"   "6066182"<br>  "6073172"   "6094679"<br>  "6098097"   "6105066"<br>  "6125389"   "6151643"<br>  "6202206"   "6256635"<br>  "6266811"   "6286038"<br>  "6292889"   "6292941"<br>  "6295556"   "6301707"<br>  "6324578").PN. OR<br>("6449642").URPN. | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:41 |
| S45 | 0  | "200210152380"   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:42 |
| S46 | 2  | "20020152380"  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:42 |
| S47 | 2  | "20020152384"  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:42 |
| S48 | 1  | "6,526,264".pn.  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:42 |
| S49 | 24 | ("20010010689"  <br>"5768268"   "5889772"  <br>"5923761"   "6370109"  <br>"6400774"   "6400775").<br>PN. OR ("6526264").<br>URPN.  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:42 |
| S50 | 1  | "6,563,928".pn.  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:42 |



|     |    |  |  |    |    |                     |
|-----|----|--|--|----|----|---------------------|
| S51 | 19 | ("4351982"   "4405829"<br>  "4633036"   "4956863"<br>  "5150411"   "5159632"<br>  "5271061"   "5272755"<br>  "5299263"   "5442707"<br>  "5463690"   "5497423"<br>  "5581616"   "5600725"<br>  "5625692"   "5724425"<br>  "5761305"   "5768388"<br>  "5987131").PN. OR<br>("6563928").URPN. | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:43 |
| S52 | 0  | "200310101247"   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:43 |
| S53 | 2  | "20030101247"  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:43 |
| S54 | 2  | "6,654,841".pn.  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:44 |
| S55 | 23 | ("6315582"   "6435409"<br>  "6438638"   "6522552"<br>  "6524137"   "6557754"<br>  "6563714"  <br>"6567273").PN. OR<br>("6654841").URPN.  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:44 |
| S56 | 31 | ("6315582"   "6435409"<br>  "6438638"   "6522552"<br>  "6524137"   "6557754"<br>  "6563714"  <br>"6567273").PN. OR<br>("6654841").URPN.  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:44 |
| S57 | 2  | "20040002943"  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:45 |
| S58 | 2  | "20040010429"  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:45 |
| S59 | 2  | "6,687,492".pn.  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:46 |

|     |    |  |                           |    |    |                     |
|-----|----|--|---------------------------|----|----|---------------------|
| S60 | 89 | ("20010012764"  <br>"20010015994"  <br>"20010046255"  <br>"20010053143"  <br>"20020001316"  <br>"20020024975"  <br>"20020034191"  <br>"20020039884"  <br>"20020064246"  <br>"20020067309"  <br>"20020072392"  <br>"20020085643"  <br>"20020102950"  <br>"20020111142"  <br>"20020118781"  <br>"20020122383"  <br>"20020122501"  <br>"20020127978"  <br>"20020136170"  <br>"20020141355"  <br>"20020158801"  <br>"20020159537"  <br>"20020172269"  <br>"20020196842"  <br>"20030002450"  <br>"20030032423"  <br>"20030108117"  <br>"20030125090"  <br>"20030139194"  <br>"4599734"   "4639914"  <br>"5274844"   "5394435"  <br>"5437055"   "5491723"  <br>"5507035"   "5577265"  <br>"5610617"   "5982327"  <br>"6008760"   "6037898"  <br>"6038272"   "6044120"  <br>"6058105"   "6097771"  <br>"6122260"   "6124824"  <br>"6144711"   "6147985"  <br>"6157340"   "6177906"  <br>"6195045"   "6211671"  <br>"6252548"   "6298092"  <br>"6307882"   "6317466"  <br>"6327310"   "6331837"  <br>"6349219"   "6351499"  <br>"6362781"   "6369758"  <br>"6370182"   "6377631"  <br>"6377636"   "6377819"  <br>"6400699"   "6400780"  <br>"6442214").PN. OR<br>("6687492").URPN. | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:46 |
| S61 | 2  | "20040024875"  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:46 |

|     |    |  |  |    |    |                     |
|-----|----|--|--|----|----|---------------------|
| S62 | 0  | "200410038592"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:47 |
| S63 | 3  | "6,700,450".pn.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:47 |
| S64 | 6  | ("3838564"   "541849"<br>  "5834983"   "5856763"<br>  "6060956"  <br>"6268777").PN. OR<br>("6700450").URPN.  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:47 |
| S65 | 1  | "6,714,605".pn.  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:47 |
| S66 | 56 | ("20010055952"  <br>"20020086641"  <br>"20020142744"  <br>"20020154614"  <br>"20020155811"  <br>"20020177446"  <br>"20030050014"  <br>"20030067662"  <br>"3992666"   "4054785"  <br>"4084245"   "4166980"  <br>"4227255"   "4336541"  <br>"4501020"   "4597107"  <br>"4818949"   "4839582"  <br>"4947338"   "4950999"  <br>"5005210"   "5144642"  <br>"5210820"   "5230087"  <br>"5271036"   "5303262"  <br>"5323337"   "5432862"  <br>"5436556"   "5574979"  <br>"5697078"   "5706202"  <br>"5745777"   "5905949"  <br>"5956638"   "6084919"  <br>"6130907"   "6229997"  <br>"6229998"   "6233529"  <br>"6349198"   "6374082"  <br>"6385434"   "6484111"  <br>"6509728"   "6584419").<br>PN. OR ("6714605").<br>URPN. | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:47 |
| S67 | 1  | "6,728,517".pn.  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:47 |

|     |    |   |                           |    |    |                     |
|-----|----|---|---------------------------|----|----|---------------------|
| S68 | 34 | ("20010015994"  <br>"20030035491"  <br>"4580289"   "5220688"  <br>"5606736"   "5715529"  <br>"5752169"   "5758265"  <br>"5832375"   "5878332"  <br>"5966666"   "5974306"  <br>"6125266"   "6252548"  <br>"6259895"   "6282413"  <br>"6351502"   "6477148").<br>PN. OR ("6728517").<br>URPN.   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:48 |
| S69 | 1  | "6,785,520".pn.   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:48 |
| S70 | 61 | ("20010012764"  <br>"20010015994"  <br>"20010046255"  <br>"20010053143"  <br>"20020001316"  <br>"20020024975"  <br>"20020064246"  <br>"20020072392"  <br>"20020122501"  <br>"20020136170"  <br>"20020141355"  <br>"20020196842"  <br>"20030002450"  <br>"20030032423"  <br>"20030108117"  <br>"20030125090"  <br>"20030139194"  <br>"4599734"   "4639914"  <br>"5274844"   "5394435"  <br>"5437055"   "5491723"  <br>"5507035"   "5577265"  <br>"5982327"   "6008760"  <br>"6037898"   "6038272"  <br>"6044120"   "6058105"  <br>"6097771"   "6122260"  <br>"6124824"   "6141393"  <br>"6144711"   "6147985"  <br>"6157340"   "6177906"  <br>"6195045"   "6211671"  <br>"6252548"   "6307882"  <br>"6317466"   "6327310"  <br>"6331837"   "6349219"  <br>"6351499"   "6369758"  <br>"6442214"   "6462709"  <br>"6463295"   "6473467"  <br>"6584161"   "6636568").<br>PN. OR ("6785520").<br>URPN. | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:48 |
| S71 | 1  | "6,850,735".pn.   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>13:48 |

|     |     |  |  |    |    |                     |
|-----|-----|--|--|----|----|---------------------|
| S72 | 52  | (("20010019543"  <br>"20020086641"  <br>"20020137485"  <br>"20020142744"  <br>"20020154614"  <br>"20020155811"  <br>"20020173272"  <br>"20030040277"  <br>"20030050012"  <br>"20030123420"  <br>"20030198200"  <br>"20030198304"  <br>"20030224741"  <br>"20040023674"  <br>"20040028003"  <br>"20040028123"  <br>"3609553"   "3812291"  <br>"4166980"   "4227255"  <br>"4271523"   "4501020"  <br>"4597107"   "4845707"  <br>"4947338"   "4979211"  <br>"5005210"   "5144642"  <br>"5210820"   "5353346"  <br>"5432862"   "5608727"  <br>"5651030"   "5687163"  <br>"5832038"   "5905949"  <br>"5912922"   "6084919"  <br>"6240282"   "6240372"  <br>"6385434"   "6463294"  <br>"6466614"   "6519541")<br>PN. OR ("6850735").<br>URFPN. | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>13:48 |
| S73 | 516 | S18 S19 S20 S21 S22<br>S23 S24 S25 S26 S28<br>S30 S32 S34 S35 S37<br>S39 S40 S41 S42 S43<br>S44 S46 S47 S49 S51<br>S53 S55 S57 S58 S60<br>S61 S63 S66 S68 S70<br>S72   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2007/09/11<br>13:59 |
| S74 | 12  | (("6064880"   "6230082"<br>  "6363249"   "6414146"<br>  "6421673"   "6445932"<br>  "6496949"   "6539461"<br>  "6549773"   "6574733"<br>  "6625447"  <br>"6714952").PN. OR<br>("6985719").URFPN.  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:00 |
| S75 | 516 | S73 S74  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:00 |
| S76 | 0   | S75 and ((encrypt\$3 adj3<br>key)with (xml or<br>(extensible adj2 markup<br>adj2 language)) and<br>(wireless with configur\$))   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:01 |

|     |       |  |                           |    |    |                     |
|-----|-------|--|---------------------------|----|----|---------------------|
| S77 | 0     | S75 and ( (xml or (extensible adj2 markup adj2 language)) and (wireless with configur\$))  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:01 |
| S78 | 31    | S75 and ( (xml or (extensible adj2 markup adj2 language)) )  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:01 |
| S79 | 4     | S75 and ( (xml or (extensible adj2 markup adj2 language)) with configur\$4 )   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:02 |
| S80 | 0     | S75 and ( (xml or (extensible adj2 markup adj2 language)) with configur\$4 ) and encrypt \$  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:02 |
| S81 | 3     | S75 and ( (xml or (extensible adj2 markup adj2 language))same configur\$4 ) and encrypt \$   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:05 |
| S82 | 1     | S75 and ( (xml or (extensible adj2 markup adj2 language))same configur\$4 ) and (encrypt \$ same (identifier or "ID" or "URI" or "UID")) | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:10 |
| S83 | 25455 | clon\$3 with ((media adj3 access\$3 aadj3 control\$4) or "MAC")  | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:11 |
| S84 | 81    | clon\$3 with ((media adj3 access\$3 aadj3 control\$4) or "MAC") with address \$3   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:11 |
| S85 | 8     | clon\$3 with ((media adj3 access\$3 aadj3 control\$4) or "MAC") with address \$3 and ("DNS" or (domain adj2 name adj2 server))           | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:12 |
| S86 | 4     | clon\$3 with ((media adj3 access\$3 aadj3 control\$4) or "MAC") with address \$3 and ("DNS" or (domain adj2 name adj2 server)) and xml   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:13 |
| S87 | 4     | clon\$3 with ((media adj3 access\$3 aadj3 control\$4) or "MAC") same address \$3 and ("DNS" or (domain adj2 name adj2 server)) and xml   | US-PGPUB;<br>USPAT; USOCR | OR | ON | 2007/09/11<br>14:13 |

|      |       |   |  |    |    |                     |
|------|-------|---|--|----|----|---------------------|
| S88  | 8     | clon\$3 same ((media adj3 access\$3 aadj3 control\$4) or "MAC") same address\$3 and ("DNS" or (domain adj2 name adj2 server)) and xml | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:14 |
| S89  | 908   | "802.1"   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:14 |
| S90  | 1219  | "802.1"   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:15 |
| S91  | 52    | "802.1" and time-to-live  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:15 |
| S92  | 6     | xml and "802.1" and time-to-live  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:16 |
| S93  | 6     | (xml or (extensible adj3 markup adj3 language)) and "802.1" and time-to-live  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:18 |
| S94  | 50    | (xml or (extensible adj3 markup adj3 language)) and "802.1"   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:18 |
| S95  | 2     | (xml or (extensible adj3 markup adj3 language)) same "802.1"  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:19 |
| S96  | 96822 | (network\$3 near5 configur\$) "802.1"   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:20 |
| S97  | 511   | (network\$3 near5 configur\$) and "802.1"   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:20 |
| S98  | 26    | (network\$3 near5 configur\$) and "802.1" and xml   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:20 |
| S99  | 6     | (network\$3 near5 configur\$) and "802.1" and xml and time-to-live  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:20 |
| S100 | 8     | (network\$3 near5 configur\$) and "802.1" and xml and (time-to-live or (time adj3 live))  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2007/09/11<br>14:20 |
| S101 | 2     | "20040043758"   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:38 |
| S102 | 1     | S101 and (network near10 identif\$3)  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:39 |

|      |      |  |  |    |    |                     |
|------|------|--|--|----|----|---------------------|
| S103 | 3    | "20030081791"  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:45 |
| S104 | 2    | "20030081791" and<br>authentic\$4  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:46 |
| S105 | 0    | "20030081791" and<br>authentic\$4 with (key or<br>type or element)             | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:46 |
| S106 | 1    | S101 and (network<br>near10 identif\$3) and<br>authentic\$4                    | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:49 |
| S107 | 0    | S101 and (network<br>near10 identif\$3) and<br>(authentic\$4 with<br>element)  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:49 |
| S108 | 1    | S101 and (network<br>near10 identif\$3) and<br>authentic\$4 and connect<br>\$3 | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:52 |
| S109 | 2    | "20030081791" and<br>authentic\$4 and connect<br>\$3                           | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:54 |
| S110 | 2677 | xml near20 config\$5   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:57 |
| S111 | 0    | xml near5 schmeta<br>near20 config\$5  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:58 |
| S112 | 226  | xml near5 schema<br>near20 config\$5   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:58 |



|      |    |  |  |    |    |                     |
|------|----|--|--|----|----|---------------------|
| S113 | 30 | xml near5 schema near20 config\$5 and (encrypt and config\$5 and connect\$3)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:59 |
| S114 | 30 | xml near5 schema near20 config\$5 and (encrypt and config\$5 and connect\$3)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:59 |
| S115 | 27 | xml near5 schema near20 config\$5 and ((encrypt near5 (element or type or key)) and config\$5 and connect \$3)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>14:59 |
| S116 | 8  | xml near5 schema near20 config\$5 and ((encrypt near5 (element or type or key)) and (config\$5 near5 (element or type or key)) and connect\$3)                                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>15:00 |
| S117 | 6  | xml near5 schema near20 config\$5 and ((encrypt near5 (element or type or key)) and (config\$5 near5 (element or type or key)) and (connect\$3 near5 (element or type or key)) ) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>15:00 |
| S118 | 7  | "802.1" near5 element  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>15:07 |
| S119 | 0  | "802.1" near5 (xml near5 (type or element))  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>15:08 |
| S120 | 11 | "802.1" and (xml near5 (type or element))  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>15:08 |
| S121 | 8  | (network\$3 near5 config\$5) and "802.1" and xml and (time-to-live or (time adj3 live))  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2008/02/28<br>15:08 |

|      |    |  |  |    |    |                     |
|------|----|--|--|----|----|---------------------|
| S122 | 8  | (network\$3 near5 configur\$) and "802.1" and xml and (time-to-live or (time adj3 live))   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2008/02/28<br>15:15 |
| S123 | 44 | (network\$3 near5 configur\$) and ("802.1" or "802.11") and xml and (time-to-live or (time adj3 live))   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2008/02/28<br>15:15 |
| S124 | 77 | ( configur\$) and ("802.1" or "802.11") and xml and (time-to-live or (time adj3 live))   | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2008/02/28<br>15:16 |
| S125 | 12 | ( configur\$ near10 xml) and ("802.1" or "802.11") and (time-to-live or (time adj3 live))  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2008/02/28<br>15:16 |
| S126 | 5  | ( configur\$ near10 xml) near20 schema and ("802.1" or "802.11") and (time-to-live or (time adj3 live))  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2008/02/28<br>15:16 |
| S127 | 5  | ( configur\$ near10 xml) near20 schema and ("802.1" or "802.11") and (time-to-live or (time adj3 live))  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/02/28<br>15:16 |
| S128 | 1  | ( configur\$ near10 xml) near20 schema and ("802.1" or "802.11") and (time-to-live or (time adj3 live)) and (identif\$3 near10 element)              | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>13:03 |
| S129 | 3  | ( configur\$ near10 xml) near20 schema and ("802.1" or "802.11") and (time-to-live or (time adj3 live)) and ((identif\$3 address\$3) near10 element) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>13:03 |
| S130 | 3  | ( configur\$ near10 xml) near20 schema and ("802.1" or "802.11") and (time-to-live or (time adj3 live)) and ((identif\$3 address\$3) near5 element)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>13:04 |
| S131 | 2  | "6,636,249".pn.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>13:22 |

|      |         |   |  |    |    |                     |
|------|---------|---|--|----|----|---------------------|
| S132 | 50      | Erickson.inv. and xml   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>17:56 |
| S133 | 3138654 | Erickson.inv. and xml and<br>configur\$5  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>17:57 |
| S134 | 32      | Erickson.inv. and xml<br>and configur\$5  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>17:57 |
| S135 | 13      | Erickson.inv. and xml<br>same configur\$5   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>17:57 |
| S136 | 0       | Erickson.inv. and xml<br>same configur\$5 and<br>identif\$3 near\$5 element                                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>17:57 |
| S137 | 0       | Erickson.inv. and xml<br>same configur\$5 and<br>identif\$3 near\$5 tag\$3                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>17:57 |
| S138 | 12      | Erickson.inv. and xml<br>same configur\$5 and<br>identif\$3   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>17:58 |
| S139 | 4       | Erickson.inv. and xml<br>same configur\$5 and<br>identif\$3 same encrypt\$3                                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>17:58 |
| S140 | 36310   | ((Extensible adj\$3 Markup<br>adj\$3 Language) XML)<br>near\$10 (instance schema<br>file document template) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>20:34 |

|      |    |   |  |    |    |                     |
|------|----|---|--|----|----|---------------------|
| S141 | 30 | ((Extensible adj3 Markup adj3 Language) XML)<br>near10 (instance schema file document template)<br>near20 (configur\$5 near20 (wireless cordless cellular wap handheld)<br>near10 (device apparatus computer phone telephone server client))  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>20:38 |
| S142 | 7  | ((Extensible adj3 Markup adj3 Language) XML)<br>near10 (instance schema file document template)<br>near20 (configur\$5 near20 (wireless cordless cellular wap handheld)<br>near10 (device apparatus computer phone telephone server client))<br>and ((identif\$3 address \$3 ) near10 element)  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>20:38 |
| S143 | 2  | ((Extensible adj3 Markup adj3 Language) XML)<br>near10 (instance schema file document template)<br>near20 (configur\$5 near20 (wireless cordless cellular wap handheld)<br>near10 (device apparatus computer phone telephone server client))<br>and ((identif\$3 address \$3 ) near10 element)<br>and (encrypt\$3 near10 element)                   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>20:39 |
| S144 | 2  | ((Extensible adj3 Markup adj3 Language) XML)<br>near10 (instance schema file document template)<br>near20 (configur\$5 near20 (wireless cordless cellular wap handheld)<br>near10 (device apparatus computer phone telephone server client))<br>and ((identif\$3 address \$3 ) near10 element)<br>and (encrypt\$3 near10 element) and authentic \$5 | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>20:40 |

|      |   |   |  |    |    |                     |
|------|---|---|--|----|----|---------------------|
| S145 | 1 | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (configur\$5<br>near20 (wireless cordless<br>cellular wap handheld)<br>near10 (device apparatus<br>computer phone<br>telephone server client))<br>and ((identif\$3 address<br>\$3 ) near10 element)<br>and (encrypt\$3 near10<br>element) and authentic<br>\$5 and mode | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/19<br>20:41 |
| S146 | 2 | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (configur\$5<br>near20 (wireless cordless<br>cellular wap handheld)<br>near10 (device apparatus<br>computer phone<br>telephone server client))<br>and ((identif\$3 address<br>\$3 ) near10 element)<br>and (encrypt\$3 near10<br>element) and authentic<br>\$5          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>09:47 |
| S147 | 2 | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (configur\$5<br>near20 (wireless cordless<br>cellular wap handheld)<br>near10 (device apparatus<br>computer phone<br>telephone server client))<br>and ((identif\$3 address<br>\$3 ) near20 element)<br>and (encrypt\$3 near10<br>element) and authentic<br>\$5          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>09:48 |

|      |   |  |  |    |    |                     |
|------|---|--|--|----|----|---------------------|
| S148 | 2 | ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur\$5 near20 (wireless cordless cellular wap handheld) near10 (device apparatus computer phone telephone server client)) and ((identif\$3 address \$3 ) near20 element) and (encrypt\$3 near20 element) and authentic \$5 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>09:48 |
| S149 | 2 | ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur\$5 near20 (wireless cordless cellular wap handheld) ) and ((identif\$3 address \$3 ) near20 element) and (encrypt\$3 near20 element) and authentic \$5   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>09:48 |
| S150 | 9 | ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur\$5 near20 (wireless cordless cellular wap handheld device apparatus computer phone telephone server client)) and ((identif\$3 address \$3 ) near20 element) and (encrypt\$3 near20 element) and authentic \$5          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>09:49 |
| S151 | 4 | ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (configur\$5 near20 (wireless cordless cellular wap handheld device apparatus computer phone telephone server client)) and ((identif\$3 address \$3 ) near20 element) and (encrypt\$3 near20 element) and authentic              | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>09:49 |

|      |   |   |  |    |    |                     |
|------|---|---|--|----|----|---------------------|
|      |   | \$5 and mode  |  |    |    |                     |
| S152 | 4 | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (configur\$5<br>near20 (wireless cordless<br>cellular wap handheld<br>device apparatus<br>computer phone<br>telephone server client))<br>and ((identif\$3 address<br>\$3 ) near20 element)<br>and (encrypt\$3 near20<br>element) and authentic<br>\$5 and mode and key              | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>09:49 |
| S153 | 0 | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (configur\$5<br>near20 (wireless cordless<br>cellular wap handheld<br>device apparatus<br>computer phone<br>telephone server client))<br>and ((identif\$3 address<br>\$3 ) near20 element)<br>and (encrypt\$3 near20<br>element) and authentic<br>\$5 and mode and key<br>and "801" | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>09:50 |
| S154 | 2 | ((Extensible adj3 Markup<br>adj3 Language) XML)<br>near10 (instance schema<br>file document template)<br>near20 (configur\$5<br>near20 (wireless cordless<br>cellular wap handheld<br>device apparatus<br>computer phone<br>telephone server client))<br>and ((identif\$3 address<br>\$3 ) near20 element)<br>and (encrypt\$3 near20<br>element) and authentic<br>\$5 and mode and key<br>and "802" | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>09:50 |

|      |    |   |  |    |    |                     |
|------|----|---|--|----|----|---------------------|
| S155 | 63 | (configur\$5 near11 (wireless network remote \$4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif\$3 near5 element)   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:47 |
| S156 | 2  | (configur\$5 near11 (wireless network remote \$4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif\$3 near5 element) near20 (encrypt \$3 near5 element)                | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:48 |
| S157 | 4  | (configur\$5 near11 (wireless network remote \$4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif\$3 near5 element) and (encrypt\$3 near5 element)                    | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:49 |
| S158 | 4  | (configur\$5 near11 (wireless network remote \$4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif\$3 near5 element) and (encrypt\$3 near5 element) and authenticat\$3 | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:49 |



|      |      |   |  |    |    |                     |
|------|------|---|--|----|----|---------------------|
| S159 | 3    | (configur\$5 near11 (wireless network remote \$4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif\$3 near5 element) and (encrypt\$3 near5 element) and (authenticat\$3 near10 element)                          | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:50 |
| S160 | 2    | (configur\$5 near11 (wireless network remote \$4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) near10 (instance schema file document template) near20 (identif\$3 near5 element) and (encrypt\$3 near5 element) and (authenticat\$3 near10 element) and (key near20 element) | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:50 |
| S161 | 5811 | ((Extensible adj3 Markup adj3 Language) XML) near10 version   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:54 |
| S162 | 470  | ((Extensible adj3 Markup adj3 Language) XML) near10 version near30 element  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:54 |
| S163 | 799  | ((Extensible adj3 Markup adj3 Language) XML) near10 version and (element near10 identifier)   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:54 |
| S164 | 4    | ((Extensible adj3 Markup adj3 Language) XML) near10 version and (element near10 identifier) same (element near10 encrypt\$3)  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>15:55 |

|      |    |  |  |    |    |                     |
|------|----|--|--|----|----|---------------------|
| S165 | 17 | ((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt\$3)   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:15 |
| S166 | 11 | ((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt\$3) same key near10 element   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:15 |
| S167 | 11 | ((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt\$3) same key near10 element and ((session key) near10 element)                            | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:16 |
| S168 | 11 | ((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt\$3) same key near10 element and ((session key) near10 element) and ((key) near10 element) | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:16 |
| S169 | 6  | ((Extensible adj3 Markup adj3 Language) XML) near10 (document file instance script) and (element near10 identifier) same (element near10 encrypt\$3) same key near10 element and ((session) near10 element) and ((key) near10 element)     | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:16 |
| S170 | 2  | S168 and S155  | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:26 |

|      |      |   |  |    |    |                     |
|------|------|---|--|----|----|---------------------|
| S171 | 2    | "20040002943"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:26 |
| S172 | 0    | "20030081791" and<br>authentic\$4 with (key or<br>type or element)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:29 |
| S173 | 3    | "20030081791" and (key<br>or type or element)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:29 |
| S174 | 0    | "20030081791" and<br>session near40 instance<br>near50 identif\$3   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:53 |
| S175 | 2    | "20030081791" and<br>session near40 identif\$3  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:53 |
| S176 | 2    | "20030081791" and<br>session near40 instance  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:54 |
| S177 | 1    | (DHCP near5 element)<br>and S155  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>16:59 |
| S178 | 5705 | (configur\$5 near11<br>(wireless network remote<br>\$4)near10 (device<br>apparatus client server<br>host)) and ((Extensible<br>adj3 Markup adj3<br>Language) XML) near10<br>(instance schema file<br>document template)                             | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>17:00 |
| S179 | 5    | (configur\$5 near11<br>(wireless network remote<br>\$4)near10 (device<br>apparatus client server<br>host)) and ((Extensible<br>adj3 Markup adj3<br>Language) XML) near10<br>(instance schema file<br>document template) and<br>(DHCP near5 element) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>17:00 |

|      |   |  |  |    |    |                     |
|------|---|--|--|----|----|---------------------|
| S180 | 9 | (configur\$5 near11 (wireless network remote \$4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) and (DHCP near5 element)         | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/20<br>17:02 |
| S181 | 9 | (configur\$5 near11 (wireless network remote \$4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) and (DHCP near5 element)         | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/21<br>08:17 |
| S182 | 7 | (configur\$5 near11 (wireless network remote \$4)near10 (device apparatus client server host)) and ((Extensible adj3 Markup adj3 Language) XML) and (DHCP near5 element) and ATM | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/21<br>08:17 |
| S183 | 8 | (configur\$5 near11 (wireless network remote \$4)) and ((Extensible adj3 Markup adj3 Language) XML) and (DHCP near5 element) and ATM   | US-PGPUB;<br>USPAT; USOCR;<br>FFRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2008/11/21<br>08:18 |

9/ 2/ 09 12:15:57 PM

C:\Documents and Settings\jjeangilles\My Documents\EAST\Workspaces\10806331nov08.wsp